

РИКОМ



30

18

300.

3

300

52




- 800 / ;
 - 52 ;
 - 12 50 ;
- (. .) 300
- 300,
- 300 4-
- 300
- 1
- 52
- 300
- .0340.



- 300 30 3600
- 110 18 300 .
- 300 50
- 12
- 300 (" ") ,
- 300.
- 300






Скриншоты интерфейса программы "Базы данных" (Database) с таблицей параметров.

№	Настройка (MHz)	Полоса (kHz)	Уровень	Дата	Время	Описание
ТД (20)						
СММА (2)						
1	465.204	850	-77	21.03.11	08:55:25	
2	466.218	2088	-74	21.03.11	08:57:50	
3	466.016	1718	-64	21.03.11	09:18:41	
Трениров (20)						
1	466.676	141	-85	21.03.11	08:57:50	
2	446.536	142	-70	21.03.11	08:57:51	
3	467.712	119	-75	21.03.11	08:57:57	
4	451.326	194	-66	21.03.11	08:58:10	
5	413.136	87	-77	21.03.11	09:58:47	
6	416.461	191	-78	21.03.11	09:58:47	
7	466.096	86	-78	21.03.11	09:58:47	
8	466.056	90	-78	21.03.11	09:59:09	
9	439.984	86	-78	21.03.11	10:02:01	
10	420.144	86	-79	21.03.11	10:02:01	
Полки (1)						

()


▶ ()





-
-
-

FSK, FFSK, ASK . . .

50 () 100



()



■ 12 110


12 50

-1327


-1327

▶ ()


1 ().




POCSAG



12 (12). 1 200



1/4 QPSK TETRA




DECT

(AM, FM), (PSK,BPSK,QPSK,ASK, GSM CDMA), ZigBee.

(), (VOX),

-
-






FSK

-
-
-

-
-
- 100
- 100
-
-

FSK(), AFSK, FFSK, C4FM, FM SubC(-), BPSK(-2), p/4 QPSK, QAM(), ASK;

DSSS(), FHSS(), CSS, OFDM, CDMA, FDMA, TDMA, CSMA/CA;





4-

32 8

300,

300


4-

4-

32

8

300,





[Redacted]	
*	30 - 3 600 3.6 - 18
(\ -10 , 10)	
*	2 [-101 dBm] 22 [-80 dBm]
52	
64	
800 \ **	
70	
()	
60	
5	
[-80 dBm]	
() 0, -10, -20, -30	
:	
12 110 12 50	
+/-9	
[Redacted]	
TNC 50	
220 , 50 15	
* 12	
(300) 215 172 58	
(300) 2.5	
+10...+50	
75%	
(+25)	
*	
**	Core i7

[Redacted]	
14 81.92	
2 52	
[]	
12 [12]	1 [1]
18 [18]	1.3 [1.3]
25 [25]	2 [2]
45 [44]	4 [4]
55 [56]	8 [8]
75 [75]	16 [16]
55 [56]	20 [20]
110 [113]	50 [50]
250 [256]	100 [100]
500 [512]	200 [200]
USB 1.0 SPI +5	
[Redacted]	
*	
TNC 50	
4	
1	
50	
(-30) 10 [+10dBm]	
*	
300 7	3.6 - 7
300 10	3.6 - 10
300 12	3.6 - 12
300 18	3.6 - 18
SMA 50	
0, -10, -20	
40	
(-20) 1 [0 dBm]	

./ : +7 (495) 648 60 75
e-mail: info@rusmonitor.ru
: support@rusmonitor.ru
www.rusmonitor.ru